

DUET FREE ROUTINE FINALS

2010 SENIOR SYNCHRONIZED SWIMMING CHAMPIONSHIP

IRVING, TEXAS 14-17 JUL, 2010

REF Shannon Korpela

V-REF Melodie Wallace

TECHNICAL MERIT JUDGES

- 1 Shari Darst
- 2 Krista Bessinger
- 3 Joanne Hangen
- 4 Linda Loehndorf
- 5 Janice McLaughlin
- 6 Yue Yan

ARTISTIC IMPRESSION JUDGES

- 1 Josee Daudelin
- 2 Betty Hazle
- 3 Maribel Solis
- 4 Zhang Jun
- 5 Sheila McNabb
- 6 Barbara McNamee

TM

EX	0.4
SY	0.3
DF	0.3

AI

CH	0.5
MI	0.3
MP	0.2

		TM JUDGE							AI JUDGE						SCORE SCORE	TM JUDGE						AI JUDGE						
		TM JUDGE SCORES							AI JUDGE SCORES							TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS						
		CAT	1	2	3	4	5		6	CAT	1	2	3	4		5	6	1	2	3	4	5	6	1	2	3	4	5
Pre 1	EX	7.0	7.4	7.2	7.0	7.0	6.7	CH	7.5	6.8	7.0	7.2	6.7	7.3	TM 34.6125	69.925	2.80	2.96	2.88	2.80	2.80	2.68	3.75	3.40	3.50	3.60	3.35	3.65
	SY	6.7	7.2	7.0	6.9	6.7	6.8	MI	7.2	6.8	7.1	7.3	6.7	7.2			2.01	2.16	2.10	2.07	2.01	2.04	2.16	2.04	2.13	2.19	2.01	2.16
	DF	6.8	7.0	6.8	7.0	6.8	6.7	MP	7.4	6.7	6.8	7.1	7.0	7.3			2.04	2.10	2.04	2.10	2.04	2.01	1.48	1.34	1.36	1.42	1.40	1.46
		6.85	7.22	7.02	6.97	6.85	6.73		7.39	6.78	6.99	7.21	6.76	7.27			35.3125	6.85	7.22	7.02	6.97	6.85	6.73	7.39	6.78	6.99	7.21	6.76
1 ALB	EX	7.6	7.6	7.8	7.4	7.8	7.8	CH	7.6	7.4	7.6	7.8	7.4	7.7	TM 38.3125	76.125	3.04	3.04	3.12	2.96	3.12	3.12	3.80	3.70	3.80	3.90	3.70	3.85
	SY	7.7	7.3	7.7	7.3	7.8	7.7	MI	7.5	7.4	7.8	7.6	7.4	7.7			2.31	2.19	2.31	2.19	2.34	2.31	2.25	2.22	2.34	2.28	2.22	2.31
	DF	7.7	7.5	7.9	7.6	7.7	7.7	MP	7.4	7.2	7.6	7.5	7.3	7.6			2.31	2.25	2.37	2.28	2.31	2.31	1.48	1.44	1.52	1.50	1.46	1.52
		7.66	7.48	7.80	7.43	7.77	7.74		7.53	7.36	7.66	7.68	7.38	7.68			37.8125	7.66	7.48	7.80	7.43	7.77	7.74	7.53	7.36	7.66	7.68	7.38
2 DOM	EX	7.4	7.2	7.6	7.2	7.7	7.8	CH	7.8	7.6	7.9	7.8	7.0	7.5	TM 37.3000	75.413	2.96	2.88	3.04	2.88	3.08	3.12	3.90	3.80	3.95	3.90	3.50	3.75
	SY	7.2	7.1	7.5	7.0	7.5	7.8	MI	7.8	7.6	7.8	7.8	6.9	7.4			2.16	2.13	2.25	2.10	2.25	2.34	2.34	2.28	2.34	2.07	2.22	
	DF	7.5	7.3	7.7	7.3	7.8	7.9	MP	7.2	7.4	7.8	7.7	7.0	7.5			2.25	2.19	2.31	2.19	2.34	2.37	1.44	1.48	1.56	1.54	1.40	1.50
		7.37	7.20	7.60	7.17	7.67	7.83		7.68	7.56	7.85	7.78	6.97	7.47			38.1125	7.37	7.20	7.60	7.17	7.67	7.83	7.68	7.56	7.85	7.78	6.97
3 CDY	EX	7.3	7.2	7.4	7.0	7.1	7.3	CH	7.0	7.2	7.2	7.5	7.2	7.2	TM 35.8125	71.700	2.92	2.88	2.96	2.80	2.84	2.92	3.50	3.60	3.60	3.75	3.60	3.60
	SY	7.0	7.2	7.5	7.0	6.9	7.2	MI	7.4	7.2	7.4	7.6	7.0	7.1			2.10	2.16	2.25	2.10	2.07	2.16	2.22	2.16	2.22	2.28	2.10	2.13
	DF	7.2	7.1	7.4	7.2	7.0	7.2	MP	7.0	7.0	7.2	7.4	7.1	7.2			2.16	2.13	2.22	2.16	2.10	2.16	1.40	1.40	1.44	1.48	1.42	1.44
		7.18	7.17	7.43	7.06	7.01	7.24		7.12	7.16	7.26	7.51	7.12	7.17			35.8875	7.18	7.17	7.43	7.06	7.01	7.24	7.12	7.16	7.26	7.51	7.12
4 RES	EX	7.2	7.4	7.3	7.3	7.2	6.7	CH	7.3	7.3	6.8	7.4	6.9	7.4	TM 35.7625	71.863	2.88	2.96	2.92	2.92	2.88	2.68	3.65	3.65	3.40	3.70	3.45	3.70
	SY	7.2	7.3	7.2	7.1	7.2	6.7	MI	7.6	7.2	7.0	7.3	6.9	7.4			2.16	2.19	2.16	2.13	2.16	2.01	2.28	2.16	2.10	2.19	2.07	2.22
	DF	6.9	7.3	6.9	7.1	7.1	6.6	MP	7.5	7.1	6.9	7.2	7.1	7.3			2.07	2.19	2.07	2.13	2.13	1.98	1.50	1.42	1.38	1.44	1.42	1.46
		7.11	7.34	7.15	7.18	7.17	6.67		7.43	7.23	6.88	7.33	6.94	7.38			36.1000	7.11	7.34	7.15	7.18	7.17	6.67	7.43	7.23	6.88	7.33	6.94
5 AAS	EX	7.5	7.8	7.9	7.8	7.9	7.9	CH	7.8	7.7	7.5	7.7	7.8	7.8	TM 38.9875	77.688	3.00	3.12	3.16	3.12	3.16	3.16	3.90	3.85	3.75	3.85	3.90	3.90
	SY	7.6	7.5	7.8	7.6	7.7	7.9	MI	8.1	7.6	7.6	7.8	7.8	7.8			2.28	2.25	2.34	2.28	2.31	2.37	2.43	2.28	2.28	2.34	2.34	2.34
	DF	7.8	7.7	8.0	7.8	8.0	7.9	MP	8.0	7.6	7.7	7.7	7.6	7.9			2.34	2.31	2.40	2.34	2.40	2.37	1.60	1.52	1.54	1.54	1.52	1.58
		7.62	7.68	7.90	7.74	7.87	7.90		7.93	7.65	7.57	7.73	7.76	7.82			38.7000	7.62	7.68	7.90	7.74	7.87	7.90	7.93	7.65	7.57	7.73	7.76
6 USA	EX	9.1	9.0	9.0	9.2	9.1	9.2	CH	8.8	9.1	9.6	9.3	9.1	9.3	TM 45.6875	91.750	3.64	3.60	3.60	3.68	3.64	3.68	4.40	4.55	4.80	4.65	4.55	4.65
	SY	9.2	8.7	9.1	9.1	8.9	9.3	MI	8.9	9.1	9.4	9.3	9.1	9.4			2.76	2.61	2.73	2.73	2.67	2.79	2.67	2.73	2.82	2.79	2.73	2.82
	DF	9.3	9.2	9.2	9.3	9.2	9.2	MP	8.7	9.2	9.4	9.2	9.1	9.4			2.79	2.76	2.76	2.79	2.76	2.76	1.74	1.84	1.88	1.84	1.82	1.88
		9.19	8.97	9.09	9.20	9.07	9.23		8.81	9.12	9.50	9.28	9.10	9.35			46.0625	9.19	8.97	9.09	9.20	9.07	9.23	8.81	9.12	9.50	9.28	9.10
7 MEX	EX	8.7	8.9	8.9	9.0	8.6	9.1	CH	8.9	8.8	8.6	9.4	8.7	8.8	TM 44.5625	88.750	3.48	3.56	3.56	3.60	3.44	3.64	4.45	4.40	4.30	4.70	4.35	4.40
	SY	8.8	8.8	8.9	8.9	8.6	9.1	MI	8.9	8.8	8.8	9.2	8.9	8.9			2.64	2.64	2.67	2.67	2.58	2.73	2.67	2.64	2.64	2.76	2.67	2.67
	DF	8.9	8.8	9.3	9.1	8.6	9.0	MP	8.8	9.0	8.8	9.3	8.7	9.0			2.67	2.64	2.79	2.73	2.58	2.70	1.76	1.80	1.76	1.86	1.74	1.80
		8.79	8.84	9.02	9.00	8.60	9.07		8.88	8.84	8.70	9.32	8.76	8.87			44.1875	8.79	8.84	9.02	9.00	8.60	9.07	8.88	8.84	8.70	9.32	8.76

DUET FREE ROUTINE FINALS

2010 SENIOR SYNCHRONIZED SWIMMING CHAMPIONSHIP

IRVING, TEXAS 14-17 JUL, 2010

REF Shannon Korpela

V-REF Melodie Wallace

TECHNICAL MERIT JUDGES

- 1 Shari Darst
- 2 Krista Bessinger
- 3 Joanne Hangen
- 4 Linda Loehndorf
- 5 Janice McLaughlin
- 6 Yue Yan

ARTISTIC IMPRESSION JUDGES

- 1 Josee Daudelin
- 2 Betty Hazle
- 3 Maribel Solis
- 4 Zhang Jun
- 5 Sheila McNabb
- 6 Barbara McNamee

TM

EX	0.4
SY	0.3
DF	0.3

AI

CH	0.5
MI	0.3
MP	0.2

		TM JUDGE							AI JUDGE						SCORE		TM JUDGE						AI JUDGE					
		TM JUDGE SCORES							AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
8	EX	8.9	8.8	9.1	9.1	9.0	9.0	CH	8.8	8.9	9.5	9.2	8.6	9.7	TM	90.438	3.56	3.52	3.64	3.64	3.60	3.60	4.40	4.45	4.75	4.60	4.30	4.85
	SY	9.0	9.2	9.0	9.0	9.0	9.0	MI	8.8	8.9	9.5	9.1	8.6	9.6			45.0000	2.70	2.76	2.70	2.70	2.70	2.70	2.64	2.67	2.85	2.73	2.58
	DF	9.0	8.9	9.3	9.1	9.0	8.9	MP	8.8	8.9	9.5	9.1	8.7	9.6	AI		2.70	2.67	2.79	2.73	2.70	2.67	1.76	1.78	1.90	1.82	1.74	1.92
	KOR	8.96	8.95	9.13	9.07	9.00	8.97		8.80	8.90	9.50	9.15	8.62	9.65	45.4375		8.96	8.95	9.13	9.07	9.00	8.97	8.80	8.90	9.50	9.15	8.62	9.65
9	EX	9.4	9.3	9.3	9.2	8.9	9.4	CH	9.1	9.0	9.7	9.3	9.0	9.7	TM	92.800	3.76	3.72	3.72	3.68	3.56	3.76	4.55	4.50	4.85	4.65	4.50	4.85
	SY	9.3	9.3	9.4	9.2	8.8	9.3	MI	9.2	9.0	9.6	9.4	8.9	9.7			46.4625	2.79	2.79	2.82	2.76	2.64	2.79	2.76	2.70	2.88	2.82	2.67
	DF	9.4	9.2	9.3	9.3	8.9	9.3	MP	9.1	8.9	9.6	9.2	9.0	9.7	AI		2.82	2.76	2.79	2.79	2.67	2.79	1.82	1.78	1.92	1.84	1.80	1.94
	CHN	9.37	9.27	9.33	9.23	8.87	9.34		9.13	8.98	9.65	9.31	8.97	9.70	46.3375		9.37	9.27	9.33	9.23	8.87	9.34	9.13	8.98	9.65	9.31	8.97	9.70
10	EX	7.5	7.8	8.4	7.9	7.8	7.9	CH	8.2	7.8	7.8	8.0	7.9	8.1	TM	79.025	3.00	3.12	3.36	3.16	3.12	3.16	4.10	3.90	3.90	4.00	3.95	4.05
	SY	7.6	7.7	8.2	7.7	7.7	8.1	MI	8.2	7.8	8.1	7.9	7.8	8.2			39.2500	2.28	2.31	2.46	2.31	2.31	2.43	2.46	2.34	2.43	2.37	2.34
	DF	7.8	8.0	8.5	7.8	7.7	8.1	MP	8.0	7.6	7.8	8.0	7.8	8.0	AI		2.34	2.40	2.55	2.34	2.31	2.43	1.60	1.52	1.56	1.60	1.56	1.60
	NOC	7.62	7.83	8.37	7.81	7.74	8.02		8.16	7.76	7.89	7.97	7.85	8.11	39.7750		7.62	7.83	8.37	7.81	7.74	8.02	8.16	7.76	7.89	7.97	7.85	8.11
11	EX	9.5	9.7	9.5	9.6	9.6	9.6	CH	9.7	9.6	9.7	9.8	9.5	9.7	TM	96.275	3.80	3.88	3.80	3.84	3.84	3.84	4.85	4.80	4.85	4.90	4.75	4.85
	SY	9.5	9.7	9.5	9.5	9.5	9.7	MI	9.7	9.6	9.8	9.7	9.5	9.6			47.9500	2.85	2.91	2.85	2.85	2.85	2.91	2.91	2.88	2.94	2.91	2.85
	DF	9.6	9.8	9.5	9.7	9.7	9.6	MP	9.6	9.5	9.8	9.8	9.5	9.6	AI		2.88	2.94	2.85	2.91	2.91	2.88	1.92	1.90	1.96	1.96	1.90	1.92
	CHN	9.53	9.73	9.50	9.60	9.60	9.63		9.68	9.58	9.75	9.77	9.50	9.65	48.3250		9.53	9.73	9.50	9.60	9.60	9.63	9.68	9.58	9.75	9.77	9.50	9.65