

SOLO FREE ROUTINE FINALS

2010 SENIOR SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TEXAS 14-17 JUL, 2010

REF Joanne Hangen

V-REF Don Kane

TECHNICAL MERIT JUDGES

- 1 Zhang Jun
- 2 Shari Darst
- 3 Shannon Korpela
- 4 Josee Daudelin
- 5 Maribel Solis
- 6 Sheila McNabb

ARTISTIC IMPRESSION JUDGES

- 1 Betty Hess
- 2 Betty Hazle
- 3 Yue Yan
- 4 Krista Bessinger
- 5 Linda Loehndorf
- 6 Janice McLaughlin

TM

EX	0.5
SY	0.1
DF	0.4

AI

CH	0.5
MI	0.2
MP	0.3

DRAW	TM							AI							SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS																										
	TM JUDGE SCORES							AI JUDGE SCORES						1						2						3						4						5						6					
Pre 1	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6	TM	71.400	1	2	3	4	5	6	1	2	3	4	5	6																					
	EX	7.7	6.9	6.3	7.0	7.0	7.3	CH	7.7	7.5	7.2	7.2	7.4	6.8			35.0000	3.85	3.45	3.15	3.50	3.50	3.65	3.85	3.75	3.60	3.60	3.70	3.40																				
	SY	7.9	6.9	6.2	7.1	7.0	7.2	MI	7.6	7.5	7.2	6.9	7.1	7.0			AI	0.79	0.69	0.62	0.71	0.70	0.72	1.52	1.50	1.44	1.38	1.42	1.40																				
	DF	7.8	6.7	6.4	6.8	7.2	7.0	MP	7.6	7.6	7.3	7.0	7.2	7.0			AI	3.12	2.68	2.56	2.72	2.88	2.80	2.28	2.28	2.19	2.10	2.16	2.10																				
		7.76	6.82	6.33	6.93	7.08	7.17		7.65	7.53	7.23	7.08	7.28	6.90	36.4000		7.76	6.82	6.33	6.93	7.08	7.17	7.65	7.53	7.23	7.08	7.28	6.90																					
1 CDY	EX							CH							TM	0.000																																	
	SY							MI							AI																																		
	DF							MP							AI																																		
															0.0000																																		
2 PTX	EX	8.0	7.6	7.4	6.4	7.7	7.6	CH	7.6	7.9	7.4	7.6	7.4	6.9	TM	75.038	4.00	3.80	3.70	3.20	3.85	3.80	3.80	3.95	3.70	3.80	3.70	3.45																					
	SY	7.8	7.5	7.4	6.2	7.8	7.6	MI	7.6	7.8	7.3	7.6	7.3	6.8	37.6250		0.78	0.75	0.74	0.62	0.78	0.76	1.52	1.56	1.46	1.52	1.46	1.36																					
	DF	7.9	7.3	7.5	6.0	7.5	7.5	MP	7.7	7.7	7.3	7.5	7.4	7.0	AI		3.16	2.92	3.00	2.40	3.00	3.00	2.31	2.31	2.19	2.25	2.22	2.10																					
		7.94	7.47	7.44	6.22	7.63	7.56		7.63	7.82	7.35	7.57	7.38	6.91	37.4125		7.94	7.47	7.44	6.22	7.63	7.56	7.63	7.82	7.35	7.57	7.38	6.91																					
3 SST	EX	8.0	7.8	7.6	8.0	8.0	7.8	CH	7.8	8.0	7.6	7.7	7.7	7.8	TM	77.838	4.00	3.90	3.80	4.00	4.00	3.90	3.90	4.00	3.80	3.85	3.85	3.90																					
	SY	8.2	7.6	7.5	8.0	8.2	7.8	MI	7.7	7.9	7.5	7.6	7.7	7.9	39.0000		0.82	0.76	0.75	0.80	0.82	0.78	1.54	1.58	1.50	1.52	1.54	1.58																					
	DF	7.9	7.6	7.6	7.7	7.8	7.5	MP	7.8	8.0	7.5	7.8	7.8	7.9	AI		3.16	3.04	3.04	3.08	3.12	3.00	2.34	2.40	2.25	2.34	2.34	2.37																					
		7.98	7.70	7.59	7.88	7.94	7.68		7.78	7.98	7.55	7.71	7.73	7.85	38.8375		7.98	7.70	7.59	7.88	7.94	7.68	7.78	7.98	7.55	7.71	7.73	7.85																					
4 DOM	EX	8.0	7.6	7.3	6.9	7.6	7.5	CH	7.9	7.8	7.7	7.6	7.5	7.7	TM	76.100	4.00	3.80	3.65	3.45	3.80	3.75	3.95	3.90	3.85	3.80	3.75	3.85																					
	SY	8.1	7.7	7.4	7.0	8.0	7.5	MI	7.9	7.7	7.8	7.5	7.4	7.7	37.6250		0.81	0.77	0.74	0.70	0.80	0.75	1.58	1.54	1.56	1.50	1.48	1.54																					
	DF	8.2	7.8	7.3	6.5	7.7	7.3	MP	8.0	7.7	7.8	7.5	7.5	7.8	AI		3.28	3.12	2.92	2.60	3.08	2.92	2.40	2.31	2.34	2.25	2.25	2.34																					
		8.09	7.69	7.31	6.75	7.68	7.42		7.93	7.75	7.75	7.55	7.48	7.73	38.4750		8.09	7.69	7.31	6.75	7.68	7.42	7.93	7.75	7.75	7.55	7.48	7.73																					
5 QUE	EX	7.9	8.2	8.8	7.8	7.8	7.9	CH	7.7	8.3	7.9	8.2	7.9	8.2	TM	79.813	3.95	4.10	4.40	3.90	3.90	3.95	3.85	4.15	3.95	4.10	3.95	4.10																					
	SY	7.7	8.0	8.7	8.2	8.1	7.9	MI	7.6	8.3	7.8	8.1	7.8	8.1	39.5875		0.77	0.80	0.87	0.82	0.81	0.79	1.52	1.66	1.56	1.62	1.56	1.62																					
	DF	7.7	8.1	8.8	7.6	8.1	7.6	MP	7.7	8.3	7.9	8.3	8.0	8.2	AI		3.08	3.24	3.52	3.04	3.24	3.04	2.31	2.49	2.37	2.49	2.40	2.46																					
		7.80	8.14	8.79	7.76	7.95	7.78		7.68	8.30	7.88	8.21	7.91	8.18	40.2250		7.80	8.14	8.79	7.76	7.95	7.78	7.68	8.30	7.88	8.21	7.91	8.18																					
6 SST	EX	7.6	7.5	7.5	7.6	7.6	7.6	CH	8.0	7.9	8.1	7.7	7.6	7.5	TM	77.025	3.80	3.75	3.75	3.80	3.80	3.80	4.00	3.95	4.05	3.85	3.80	3.75																					
	SY	7.8	7.7	7.5	7.8	7.8	7.6	MI	7.9	7.7	8.0	7.6	7.6	7.4	38.1250		0.78	0.77	0.75	0.78	0.78	0.76	1.58	1.54	1.60	1.52	1.52	1.48																					
	DF	7.7	7.8	7.6	8.3	7.7	7.4	MP	8.0	7.9	8.1	7.6	7.7	7.4	AI		3.08	3.12	3.04	3.32	3.08	2.96	2.40	2.37	2.43	2.28	2.31	2.22																					
		7.66	7.64	7.54	7.90	7.66	7.52		7.98	7.86	8.08	7.65	7.63	7.45	38.9000		7.66	7.64	7.54	7.90	7.66	7.52	7.98	7.86	8.08	7.65	7.63	7.45																					
7 RES	EX	7.5	7.4	7.3	6.5	7.1	7.3	CH	8.2	7.5	7.5	7.7	7.2	7.2	TM	73.350	3.75	3.70	3.65	3.25	3.55	3.65	4.10	3.75	3.75	3.85	3.60	3.60																					
	SY	7.6	7.2	7.2	6.5	7.3	7.3	MI	8.2	7.6	7.6	7.7	7.2	7.2	35.9625		0.76	0.72	0.72	0.65	0.73	0.73	1.64	1.52	1.52	1.54	1.44	1.44																					
	DF	7.8	6.8	7.3	6.2	7.0	7.2	MP	8.3	7.6	7.6	7.4	7.2	7.1	AI		3.12	2.72	2.92	2.48	2.80	2.88	2.49	2.28	2.28	2.22	2.16	2.13																					
		7.63	7.14	7.29	6.38	7.08	7.26		8.23	7.55	7.55	7.61	7.20	7.17	37.3875		7.63	7.14	7.29	6.38	7.08	7.26	8.23	7.55	7.55	7.61	7.20	7.17																					
8 BCP	EX	8.3	7.8	7.8	7.4	7.5	8.2	CH	7.9	8.0	8.0	7.7	7.6	7.9	TM	78.838	4.15	3.90	3.90	3.70	3.75	4.10	3.95	4.00	4.00	3.85	3.80	3.95																					
	SY	8.2	7.8	7.8	7.5	7.8	8.2	MI	8.1	8.0	7.9	7.8	7.7	7.8	39.3625		0.82	0.78	0.78	0.75	0.78	0.82	1.62	1.60	1.58	1.56	1.54	1.56																					
	DF	8.5	7.9	7.9	7.5	7.7	8.2	MP	8.1	7.9	8.0	8.0	7.7	7.7	AI		3.40	3.16	3.16	3.00	3.08	3.28	2.43	2.37	2.40	2.40	2.31	2.31																					
		8.37	7.84	7.84	7.45	7.61	8.20		8.00	7.97	7.98	7.81	7.65	7.82	39.4750		8.37	7.84	7.84	7.45	7.61	8.20	8.00	7.97	7.98	7.81	7.65	7.82																					

SOLO FREE ROUTINE FINALS

2010 SENIOR SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TEXAS 14-17 JUL, 2010

REF Joanne Hangen

V-REF Don Kane

TECHNICAL MERIT JUDGES

- 1 Zhang Jun
- 2 Shari Darst
- 3 Shannon Korpela
- 4 Josee Daudelin
- 5 Maribel Solis
- 6 Sheila McNabb

ARTISTIC IMPRESSION JUDGES

- 1 Betty Hess
- 2 Betty Hazle
- 3 Yue Yan
- 4 Krista Bessinger
- 5 Linda Loehndorf
- 6 Janice McLaughlin

TM

EX	0.5
SY	0.1
DF	0.4

AI

CH	0.5
MI	0.2
MP	0.3

DRAW	TM							AI																					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6	SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS						
9	EX	8.9	9.2	9.1	8.4	9.0	9.0	CH	8.8	9.1	9.2	9.0	8.9	9.1	TM	90.563	4.45	4.60	4.55	4.20	4.50	4.50	4.40	4.55	4.60	4.50	4.45	4.55	
	SY	9.0	9.3	9.1	8.6	8.8	9.0	MI	8.8	9.1	9.1	9.1	9.0	9.0			45.1875	0.90	0.93	0.91	0.86	0.88	0.90	1.76	1.82	1.82	1.82	1.80	1.80
	DF	8.9	9.3	9.3	8.6	9.2	9.0	MP	9.0	9.3	9.3	9.3	9.1	9.0			AI	3.56	3.72	3.72	3.44	3.68	3.60	2.70	2.79	2.79	2.79	2.73	2.70
	USA	8.91	9.25	9.18	8.50	9.06	9.00		8.86	9.16	9.21	9.11	8.98	9.05			45.3750	8.91	9.25	9.18	8.50	9.06	9.00	8.86	9.16	9.21	9.11	8.98	9.05
10	EX	8.1	8.4	8.0	8.3	7.7	8.4	CH	7.6	8.1	8.7	8.2	7.7	8.4	TM	81.363	4.05	4.20	4.00	4.15	3.85	4.20	3.80	4.05	4.35	4.10	3.85	4.20	
	SY	8.3	8.6	8.0	8.1	7.8	8.4	MI	7.5	8.1	8.7	8.2	7.6	8.3			40.9500	0.83	0.86	0.80	0.81	0.78	0.84	1.50	1.62	1.74	1.64	1.52	1.66
	DF	8.2	8.6	8.1	8.0	7.8	8.4	MP	7.6	8.1	8.7	8.3	7.6	8.3			AI	3.28	3.44	3.24	3.20	3.12	3.36	2.28	2.43	2.61	2.49	2.28	2.49
	QUE	8.16	8.50	8.04	8.16	7.75	8.40		7.58	8.10	8.70	8.23	7.65	8.35			40.4125	8.16	8.50	8.04	8.16	7.75	8.40	7.58	8.10	8.70	8.23	7.65	8.35
11	EX	9.4	9.6	9.4	9.6	9.4	9.2	CH	9.3	9.5	9.5	9.3	9.5	9.4	TM	94.650	4.70	4.80	4.70	4.80	4.70	4.60	4.65	4.75	4.75	4.65	4.75	4.70	
	SY	9.6	9.5	9.3	9.7	9.4	9.2	MI	9.4	9.5	9.5	9.4	9.5	9.4			47.3500	0.96	0.95	0.93	0.97	0.94	0.92	1.88	1.90	1.90	1.88	1.90	1.88
	DF	9.5	9.5	9.5	9.7	9.5	9.2	MP	9.4	9.6	9.6	9.6	9.4	9.5			AI	3.80	3.80	3.80	3.88	3.80	3.68	2.82	2.88	2.88	2.88	2.82	2.85
	CHN	9.46	9.55	9.43	9.65	9.44	9.20		9.35	9.53	9.53	9.41	9.47	9.43			47.3000	9.46	9.55	9.43	9.65	9.44	9.20	9.35	9.53	9.53	9.41	9.47	9.43
12	EX	9.1	8.9	8.7	9.1	9.0	8.9	CH	8.9	9.0	8.8	9.1	8.8	9.2	TM	89.763	4.55	4.45	4.35	4.55	4.50	4.45	4.45	4.50	4.40	4.55	4.40	4.60	
	SY	9.0	8.9	8.8	9.1	9.0	8.9	MI	8.9	9.0	8.9	9.2	8.9	9.1			44.8125	0.90	0.89	0.88	0.91	0.90	0.89	1.78	1.80	1.78	1.84	1.78	1.82
	DF	9.0	8.8	8.8	9.1	9.1	8.9	MP	9.0	9.1	8.9	9.2	9.1	8.9			AI	3.60	3.52	3.52	3.64	3.64	3.56	2.70	2.73	2.67	2.76	2.73	2.67
	KOR	9.05	8.86	8.75	9.10	9.04	8.90		8.93	9.03	8.85	9.15	8.91	9.09			44.9500	9.05	8.86	8.75	9.10	9.04	8.90	8.93	9.03	8.85	9.15	8.91	9.09
13	EX	8.5	8.6	8.9	8.9	8.5	8.5	CH	8.6	8.9	8.8	8.9	8.6	8.7	TM	87.163	4.25	4.30	4.45	4.45	4.25	4.25	4.30	4.45	4.40	4.45	4.30	4.35	
	SY	8.4	8.7	9.0	9.0	8.8	8.5	MI	8.7	8.9	8.8	9.0	8.7	8.6			43.3375	0.84	0.87	0.90	0.90	0.88	0.85	1.74	1.78	1.76	1.80	1.74	1.72
	DF	8.5	8.7	9.0	8.9	8.7	8.5	MP	8.8	9.0	8.8	9.0	8.6	8.6			AI	3.40	3.48	3.60	3.56	3.48	3.40	2.64	2.70	2.64	2.70	2.58	2.58
	MEX	8.49	8.65	8.95	8.91	8.61	8.50		8.68	8.93	8.80	8.95	8.62	8.65			43.8250	8.49	8.65	8.95	8.91	8.61	8.50	8.68	8.93	8.80	8.95	8.62	8.65
14	EX	8.3	8.0	7.9	7.5	7.5	8.1	CH	7.5	7.8	8.4	7.8	7.6	8.0	TM	78.313	4.15	4.00	3.95	3.75	3.75	4.05	3.75	3.90	4.20	3.90	3.80	4.00	
	SY	8.4	8.0	8.0	7.5	7.8	8.1	MI	7.5	7.8	8.4	7.6	7.5	8.0			39.3875	0.84	0.80	0.80	0.75	0.78	0.81	1.50	1.56	1.68	1.52	1.50	1.60
	DF	8.3	7.9	7.9	7.6	7.5	8.1	MP	7.5	8.0	8.5	7.7	7.5	8.0			AI	3.32	3.16	3.16	3.04	3.00	3.24	2.25	2.40	2.55	2.31	2.25	2.40
	ALB	8.31	7.96	7.91	7.54	7.53	8.10		7.50	7.86	8.43	7.73	7.55	8.00			38.9250	8.31	7.96	7.91	7.54	7.53	8.10	7.50	7.86	8.43	7.73	7.55	8.00