DUET FREE ROUTINE FINALS

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Becky M V-REF Betty Hess

TECHNICAL MERIT JUDGES
1 Yue Yan
2 Shari
3 Janice McLaughlin
4 Joanne Hangen
5 Betty Hazle
6 Shannon Korpela

ARTISTIC IMPRESSION JUDGES
1 Barbara McNamee
2 Sheila McNabb
3 Jeanne Struck
4 Maribel Solis
5 Zhang Jun
6 Josee Daudelin

TM	
EX	0.4
SY	0.3
DF	0.3

AI	
CH	0.5
MI	0.3
MP	0.2

		TM JUDGE							AI JUDGE						SCORE		TM JUDGE						AI JUDGE					
		TM JUDGE SCORES							AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
Pre 1	EX	6.5	6.7	6.8	7.3	7.4	6.8	CH	7.4	7.3	6.8	6.2	6.9	6.8	TM	68.950	2.60	2.68	2.72	2.92	2.96	2.72	3.70	3.65	3.40	3.10	3.45	3.40
	SY	6.4	6.9	6.9	7.4	7.5	6.7	MI	7.5	7.3	6.5	6.1	6.8	7.0	34.5000		1.92	2.07	2.07	2.22	2.25	2.01	2.25	2.19	1.95	1.83	2.04	2.10
	DF	6.4	6.7	6.8	7.2	7.3	6.6	MP	7.3	7.1	6.6	6.3	6.7	6.5	AI		1.92	2.01	2.04	2.16	2.19	1.98	1.46	1.42	1.32	1.26	1.34	1.30
		6.44	6.76	6.83	7.30	7.40	6.71		7.41	7.26	6.67	6.19	6.83	6.80	34.4500		6.44	6.76	6.83	7.30	7.40	6.71	7.41	7.26	6.67	6.19	6.83	6.80
Pre 2	EX							CH							TM	0.000												
	SY							MI							0.0000													
	DF							MP							AI													
															0.0000													
1	EX	7.1	7.4	7.3	7.3	7.2	7.4	CH	7.5	7.3	7.5	6.8	7.4	7.3	TM	73.338	2.84	2.96	2.92	2.92	2.88	2.96	3.75	3.65	3.75	3.40	3.70	3.65
	SY	7.2	7.4	7.4	7.5	6.9	7.3	MI	7.5	7.3	7.7	6.6	7.5	7.2	36.5375		2.16	2.22	2.22	2.25	2.07	2.19	2.25	2.19	2.31	1.98	2.25	2.16
	DF	7.0	7.5	7.4	7.4	7.2	7.4	MP	7.6	7.1	7.5	7.1	7.3	7.2	AI		2.10	2.25	2.22	2.22	2.16	2.22	1.52	1.42	1.50	1.42	1.46	1.44
		7.10	7.43	7.36	7.39	7.11	7.37		7.52	7.26	7.56	6.80	7.41	7.25	36.8000		7.10	7.43	7.36	7.39	7.11	7.37	7.52	7.26	7.56	6.80	7.41	7.25
2	EX	7.6	7.5	7.4	7.4	7.3	7.3	CH	7.6	7.5	7.4	6.7	7.3	6.9	TM	73.313	3.04	3.00	2.96	2.96	2.92	2.92	3.80	3.75	3.70	3.35	3.65	3.45
	SY	7.4	7.2	7.3	7.5	7.2	7.4	MI	7.6	7.4	7.5	6.8	7.3	7.0	36.8500		2.22	2.16	2.19	2.25	2.16	2.22	2.28	2.22	2.25	2.04	2.19	2.10
	DF	7.5	7.2	7.3	7.5	7.4	7.4	MP	7.6	7.3	7.6	6.8	7.2	7.2	AI		2.25	2.16	2.19	2.25	2.22	2.22	1.52	1.46	1.52	1.36	1.44	1.44
		7.51	7.32	7.34	7.46	7.30	7.36		7.60	7.43	7.47	6.75	7.28	6.99	36.4625		7.51	7.32	7.34	7.46	7.30	7.36	7.60	7.43	7.47	6.75	7.28	6.99
3	EX	7.4	7.4	7.5	7.5	7.4	7.6	CH	7.7	7.8	7.2	7.4	7.6	7.2	TM	74.538	2.96	2.96	3.00	3.00	2.96	3.04	3.85	3.90	3.60	3.70	3.80	3.60
	SY	7.4	7.2	7.2	7.4	7.3	7.5	MI	7.7	7.7	7.2	7.3	7.6	7.3	37.1375		2.22	2.16	2.16	2.22	2.19	2.25	2.31	2.31	2.16	2.19	2.28	2.19
	DF	7.3	7.6	7.6	7.5	7.5	7.7	MP	7.6	7.7	7.5	7.5	7.5	7.4	AI		2.19	2.28	2.28	2.25	2.25	2.31	1.52	1.54	1.50	1.50	1.50	1.48
		7.37	7.40	7.44	7.47	7.40	7.60		7.68	7.75	7.26	7.39	7.58	7.27	37.4000		7.37	7.40	7.44	7.47	7.40	7.60	7.68	7.75	7.26	7.39	7.58	7.27
4	EX	7.2	7.5	7.2	7.2	7.3	7.5	CH	7.4	7.6	7.1	7.0	7.5	7.3	TM	73.463	2.88	3.00	2.88	2.88	2.92	3.00	3.70	3.80	3.55	3.50	3.75	3.65
	SY	7.1	7.3	7.3	7.3	7.3	7.6	MI	7.5	7.6	7.3	7.1	7.2	7.4	36.7250		2.13	2.19	2.19	2.19	2.19	2.28	2.25	2.28	2.19	2.13	2.16	2.22
	DF	7.2	7.5	7.3	7.4	7.6	7.6	MP	7.6	7.6	7.3	6.8	7.1	7.6	AI		2.16	2.25	2.19	2.22	2.28	2.28	1.52	1.52	1.46	1.36	1.42	1.52
		7.17	7.44	7.26	7.29	7.39	7.56		7.47	7.60	7.20	6.99	7.33	7.39	36.7375		7.17	7.44	7.26	7.29	7.39	7.56	7.47	7.60	7.20	6.99	7.33	7.39
5	EX	7.6	7.6	7.5	7.6	7.6	7.7	CH	7.7	7.7	7.5	7.3	7.5	7.4	TM	75.438	3.04	3.04	3.00	3.04	3.04	3.08	3.85	3.85	3.75	3.65	3.75	3.70
	SY	7.5	7.5	7.5	7.5	7.5	7.5	MI	7.6	7.7	7.7	7.4	7.6	7.3	37.8250		2.25	2.25	2.25	2.25	2.25	2.25	2.28	2.31	2.31	2.22	2.28	2.19
	DF	7.6	7.7	7.5	7.6	7.5	7.5	MP	7.7	7.6	7.6	7.3	7.4	7.1	AI		2.28	2.31	2.25	2.28	2.25	2.25	1.54	1.52	1.52	1.46	1.48	1.42
		7.57	7.60	7.50	7.57	7.54	7.58		7.67	7.68	7.58	7.33	7.51	7.31	37.6125		7.57	7.60	7.50	7.57	7.54	7.58	7.67	7.68	7.58	7.33	7.51	7.31
6	EX	7.2	7.5	7.7	7.2	7.3	7.6	CH	7.6	7.6	7.6	7.2	7.5	7.2	TM	74.225	2.88	3.00	3.08	2.88	2.92	3.04	3.80	3.80	3.80	3.60	3.75	3.60
	SY	7.2	7.3	7.6	7.1	7.3	7.2	MI	7.6	7.6	7.4	7.3	7.7	7.2	36.8875		2.16	2.19	2.28	2.13	2.19	2.16	2.28	2.28	2.22	2.19	2.31	2.16
	DF	7.3	7.5	7.7	7.0	7.4	7.7	MP	7.5	7.6	7.5	7.0	7.6	6.9	AI		2.19	2.25	2.31	2.10	2.22	2.31	1.50	1.52	1.50	1.40	1.52	1.38
		7.23	7.44	7.67	7.11	7.33	7.51		7.58	7.60	7.52	7.19	7.58	7.14	37.3375		7.23	7.44	7.67	7.11	7.33	7.51	7.58	7.60	7.52	7.19	7.58	7.14
7	EX	8.4	8.0	8.3	7.9	8.1	8.2	CH	8.1	8.4	8.0	8.4	8.6	8.2	TM	82.150	3.36	3.20	3.32	3.16	3.24	3.28	4.05	4.20	4.00	4.20	4.30	4.10
	SY	8.4	7.8	8.4	7.8	8.2	8.3	MI	8.0	8.4	7.9	8.5	8.5	8.0	41.0500		2.52	2.34	2.52	2.34	2.46	2.49	2.40	2.52	2.37	2.55	2.55	2.40
	DF	8.6	8.1	8.5	7.8	8.3	8.4	MP	8.0	8.4	7.9	8.3	8.4	7.6	AI		2.58	2.43	2.55	2.34	2.49	2.52	1.60	1.68	1.58	1.66	1.68	1.52
		8.46	7.97	8.39	7.84	8.19	8.29		8.05	8.40	7.95	8.41	8.53	8.02	41.1000		8.46	7.97	8.39	7.84	8.19	8.29	8.05	8.40	7.95	8.41	8.53	8.02
8	EX	7.9	7.7	7.8	7.7	7.6	8.0	CH	7.8	8.1	7.7	7.8	7.7	7.7	TM	77.388	3.16	3.08	3.12	3.08	3.04	3.20	3.90	4.05	3.85	3.90	3.85	3.85
	SY	7.9	7.5	7.9	7.6	7.4	7.9	MI	7.8	8.1	7.8	7.6	7.8	7.6	38.8375		2.37	2.25	2.37	2.28	2.22	2.37	2.34	2.43	2.34	2.28	2.34	2.28
	DF	8.0	7.8	7.9	7.5	7.6	8.1	MP	7.6	7.9	7.4	7.6	7.6	7.4	AI		2.40	2.34	2.37	2.25	2.28	2.43	1.52	1.58	1.48	1.52	1.52	1.48
		7.93	7.67	7.86	7.61	7.54	8.00		7.76	8.06	7.67	7.70	7.71	7.61	38.5500		7.93	7.67	7.86	7.61	7.54	8.00	7.76	8.06	7.67	7.70	7.71	7.61

DUET FREE ROUTINE FINALS

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Becky M   V-REF Betty Hess

TECHNICAL MERIT JUDGES		**ARTISTIC IMPRESSION JUDGES**	
1	Yue Yan	1	Barbara McNamee
2	Shari	2	Sheila McNabb
3	Janice McLaughlin	3	Jeanne Struck
4	Joanne Hangen	4	Maribel Solis
5	Betty Hazle	5	Zhang Jun
6	Shannon Korpela	6	Josee Daudelin

TM	
EX	**0.4**
SY	**0.3**
DF	**0.3**

AI	
CH	**0.5**
MI	**0.3**
MP	**0.2**

		TM JUDGE							AI JUDGE						SCORE	
		TM JUDGE SCORES							AI JUDGE SCORES						SCORE	
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6		
9	EX	7.8	7.8	7.9	8.0	7.6	7.8	CH	7.9	7.9	8.1	7.2	8.6	7.9	TM	**78.663**
	SY	7.7	7.6	7.7	7.9	7.5	7.6	MI	7.9	7.9	8.0	7.3	8.5	7.8	**38.9375**	
	DF	7.8	7.9	8.0	7.8	7.5	7.8	MP	8.0	8.0	8.0	7.4	8.7	8.0	AI	
		7.77	**7.77**	**7.87**	**7.91**	**7.54**	**7.74**		**7.92**	**7.92**	**8.05**	**7.27**	**8.59**	**7.89**	**39.7250**	
10	EX	8.5	8.5	8.4	8.6	8.6	8.5	CH	8.5	8.8	8.5	8.3	8.7	8.5	TM	**85.338**
	SY	8.4	8.2	8.2	8.5	8.4	8.5	MI	8.6	8.8	8.6	8.3	8.7	8.5	**42.5125**	
	DF	8.6	8.6	8.6	8.8	8.6	8.6	MP	8.4	8.8	8.5	8.4	8.6	8.7	AI	
		8.50	**8.44**	**8.40**	**8.63**	**8.54**	**8.53**		**8.51**	**8.80**	**8.53**	**8.32**	**8.68**	**8.54**	**42.8250**	
11	EX	7.5	7.8	7.7	7.8	7.7	7.8	CH	7.6	8.0	8.0	7.4	7.5	7.5	TM	**76.813**
	SY	7.5	7.7	7.6	7.6	7.5	7.7	MI	7.7	8.0	7.9	7.6	7.4	7.5	**38.5625**	
	DF	7.5	7.8	7.8	7.8	7.7	7.8	MP	7.5	8.0	8.1	7.6	7.3	7.5	AI	
		7.50	**7.77**	**7.70**	**7.74**	**7.64**	**7.77**		**7.61**	**8.00**	**7.99**	**7.50**	**7.43**	**7.50**	**38.2500**	
12	EX	7.7	7.9	7.8	7.4	7.5	7.9	CH	7.6	8.2	8.1	7.6	7.9	7.8	TM	**77.575**
	SY	7.9	7.8	7.7	7.6	7.6	7.7	MI	7.7	8.2	8.1	7.8	7.7	7.6	**38.6125**	
	DF	7.7	8.0	7.7	7.8	7.6	7.8	MP	7.7	8.3	7.8	7.4	7.8	7.4	AI	
		7.76	**7.90**	**7.74**	**7.58**	**7.56**	**7.81**		**7.65**	**8.22**	**8.04**	**7.62**	**7.82**	**7.66**	**38.9625**	

	TM JUDGE						AI JUDGE					
	TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	1	2	3	4	5	6	1	2	3	4	5	6
9	3.12	3.12	3.16	3.20	3.04	3.12	3.95	3.95	4.05	3.60	4.30	3.95
	2.31	2.28	2.31	2.37	2.25	2.28	2.37	2.37	2.40	2.19	2.55	2.34
	2.34	2.37	2.40	2.34	2.25	2.34	1.60	1.60	1.60	1.48	1.74	1.60
	7.77	**7.77**	**7.87**	**7.91**	**7.54**	**7.74**	**7.92**	**7.92**	**8.05**	**7.27**	**8.59**	**7.89**
10	3.40	3.40	3.36	3.44	3.44	3.40	4.25	4.40	4.25	4.15	4.35	4.25
	2.52	2.46	2.46	2.55	2.52	2.55	2.58	2.64	2.58	2.49	2.61	2.55
	2.58	2.58	2.58	2.64	2.58	2.58	1.68	1.76	1.70	1.68	1.72	1.74
	8.50	**8.44**	**8.40**	**8.63**	**8.54**	**8.53**	**8.51**	**8.80**	**8.53**	**8.32**	**8.68**	**8.54**
11	3.00	3.12	3.08	3.12	3.08	3.12	3.80	4.00	4.00	3.70	3.75	3.75
	2.25	2.31	2.28	2.28	2.25	2.31	2.31	2.40	2.37	2.28	2.22	2.25
	2.25	2.34	2.34	2.34	2.31	2.34	1.50	1.60	1.62	1.52	1.46	1.50
	7.50	**7.77**	**7.70**	**7.74**	**7.64**	**7.77**	**7.61**	**8.00**	**7.99**	**7.50**	**7.43**	**7.50**
12	3.08	3.16	3.12	2.96	3.00	3.16	3.80	4.10	4.05	3.80	3.95	3.90
	2.37	2.34	2.31	2.28	2.28	2.31	2.31	2.46	2.43	2.34	2.31	2.28
	2.31	2.40	2.31	2.34	2.28	2.34	1.54	1.66	1.56	1.48	1.56	1.48
	7.76	**7.90**	**7.74**	**7.58**	**7.56**	**7.81**	**7.65**	**8.22**	**8.04**	**7.62**	**7.82**	**7.66**