SOLO FREE ROUTINES

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Jeanne Struck V-REF Joanne Hangen

TECHNICAL MERIT JUDGES

1 Yue Yan
2 Shari Darst
3 Linda Loehndorf
4 Janice McLaughlin
5 Barbara McNamee
6 Don Kane

ARTISTIC IMPRESSION JUDGES

1 Josee Daudelin
2 Betty Hess
3 Zhang Jun
4 Sheila McNabb
5 Maribel Solis
6 Becky Meitin

TM	
EX	0.5
SY	0.1
DF	0.4

AI	
CH	0.5
MI	0.2
MP	0.3

DRAW		TM JUDGE SCORES						AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
Pre 1	EX	7.0	6.2	6.9	6.5	7.2	6.7	CH	6.6	7.1	7.3	7.3	6.7	7.4	TM	68.838	3.50	3.10	3.45	3.25	3.60	3.35	3.30	3.55	3.65	3.65	3.35	3.70
	SY	7.2	6.5	7.0	6.7	7.5	6.6	MI	6.0	6.9	7.2	6.9	6.4	7.2	33.9250		0.72	0.65	0.70	0.67	0.75	0.66	1.20	1.38	1.44	1.38	1.28	1.44
	DF	6.8	6.3	7.1	6.4	7.6	6.8	MP	6.2	7.0	7.2	7.2	6.1	7.9	AI		2.72	2.52	2.84	2.56	3.04	2.72	1.86	2.10	2.16	2.16	1.83	2.37
PTX		6.94	6.27	6.99	6.48	7.39	6.73		6.36	7.03	7.25	7.19	6.46	7.51	34.9125		6.94	6.27	6.99	6.48	7.39	6.73	6.36	7.03	7.25	7.19	6.46	7.51
1	EX							CH							TM	0.000												
	SY							MI							0.0000													
	DF							MP							AI													
															0.0000													
2	EX	6.8	7.4	7.6	6.8	7.4	7.3	CH	7.8	7.9	7.6	8.0	8.2	7.9	TM	75.413	3.40	3.70	3.80	3.40	3.70	3.65	3.90	3.95	3.80	4.00	4.10	3.95
	SY	6.8	6.8	7.8	7.0	7.5	7.5	MI	7.6	8.2	7.5	8.0	7.8	8.2	36.3625		0.68	0.68	0.78	0.70	0.75	0.75	1.52	1.64	1.50	1.60	1.56	1.64
	DF	7.0	7.5	7.8	7.0	7.4	7.5	MP	7.5	7.9	7.6	7.6	6.9	8.0	AI		2.80	3.00	3.12	2.80	2.96	3.00	2.25	2.37	2.28	2.28	2.07	2.40
NOC		6.88	7.38	7.70	6.90	7.41	7.40		7.67	7.96	7.58	7.88	7.73	7.99	39.0500		6.88	7.38	7.70	6.90	7.41	7.40	7.67	7.96	7.58	7.88	7.73	7.99
3	EX	7.6	7.5	8.2	7.8	7.6	6.8	CH	8.3	7.7	8.1	8.1	8.5	8.4	TM	79.550	3.80	3.75	4.10	3.90	3.80	3.40	4.15	3.85	4.05	4.05	4.25	4.20
	SY	7.7	7.3	8.1	8.0	7.5	6.9	MI	8.3	7.8	8.2	8.2	8.3	8.6	38.3750		0.77	0.73	0.81	0.80	0.75	0.69	1.66	1.56	1.64	1.64	1.66	1.72
	DF	7.8	7.7	8.3	7.9	7.6	7.0	MP	8.1	7.8	8.2	8.4	8.1	8.8	AI		3.12	3.08	3.32	3.16	3.04	2.80	2.43	2.34	2.46	2.52	2.43	2.64
QUE		7.69	7.56	8.23	7.86	7.59	6.89		8.24	7.75	8.15	8.21	8.34	8.56	41.1750		7.69	7.56	8.23	7.86	7.59	6.89	8.24	7.75	8.15	8.21	8.34	8.56
4	EX	8.4	8.3	8.1	8.6	8.6	7.5	CH	8.2	8.4	8.2	8.7	9.0	8.6	TM	84.638	4.20	4.15	4.05	4.30	4.30	3.75	4.10	4.20	4.10	4.35	4.50	4.30
	SY	8.6	8.1	8.1	8.6	8.4	7.0	MI	8.6	8.2	8.3	8.7	8.8	8.8	41.9000		0.86	0.81	0.81	0.86	0.84	0.70	1.72	1.64	1.66	1.74	1.76	1.76
	DF	8.6	8.4	8.2	8.5	9.0	7.0	MP	8.5	8.5	8.4	8.7	8.7	8.9	AI		3.44	3.36	3.28	3.40	3.60	2.80	2.55	2.55	2.52	2.61	2.61	2.67
USA		8.50	8.32	8.14	8.56	8.74	7.25		8.37	8.39	8.28	8.70	8.87	8.73	42.7375		8.50	8.32	8.14	8.56	8.74	7.25	8.37	8.39	8.28	8.70	8.87	8.73
5	EX	7.3	7.3	6.9	6.6	6.9	6.8	CH	6.9	7.5	6.8	7.8	6.5	7.1	TM	70.313	3.65	3.65	3.45	3.30	3.45	3.40	3.45	3.75	3.40	3.90	3.25	3.55
	SY	7.3	7.2	6.8	6.6	7.1	6.9	MI	6.7	7.5	6.7	7.5	6.0	7.0	35.0375		0.73	0.72	0.68	0.66	0.71	0.69	1.34	1.50	1.34	1.50	1.20	1.40
	DF	7.7	7.4	6.9	6.8	7.0	6.9	MP	6.7	7.4	6.9	7.4	6.2	7.3	AI		3.08	2.96	2.76	2.72	2.80	2.76	2.01	2.22	2.07	2.22	1.86	2.19
BSK		7.46	7.33	6.89	6.68	6.96	6.85		6.80	7.47	6.81	7.62	6.31	7.14	35.2750		7.46	7.33	6.89	6.68	6.96	6.85	6.80	7.47	6.81	7.62	6.31	7.14
6	EX	7.4	7.4	7.5	7.3	7.1	7.0	CH	7.4	7.6	7.6	7.7	8.4	7.2	TM	75.013	3.70	3.70	3.75	3.65	3.55	3.50	3.70	3.80	3.80	3.85	4.20	3.60
	SY	7.3	7.4	7.7	7.5	7.4	6.5	MI	7.7	7.6	7.7	7.7	8.2	7.4	36.8500		0.73	0.74	0.77	0.75	0.74	0.65	1.54	1.52	1.54	1.54	1.64	1.48
	DF	7.4	7.8	7.8	7.4	7.2	6.7	MP	7.5	7.6	7.8	7.9	8.4	7.4	AI		2.96	3.12	3.12	2.96	2.88	2.68	2.25	2.28	2.34	2.37	2.52	2.22
ALB		7.39	7.56	7.64	7.36	7.17	6.83		7.49	7.60	7.68	7.76	8.36	7.30	38.1625		7.39	7.56	7.64	7.36	7.17	6.83	7.49	7.60	7.68	7.76	8.36	7.30
7	EX	7.5	7.7	7.6	7.5	7.3	7.9	CH	8.0	8.2	8.0	7.8	8.6	7.5	TM	77.913	3.75	3.85	3.80	3.75	3.65	3.95	4.00	4.10	4.00	3.90	4.30	3.75
	SY	7.5	7.5	7.9	7.6	7.2	8.0	MI	8.5	8.3	7.9	7.8	8.7	7.6	37.6000		0.75	0.75	0.79	0.76	0.72	0.80	1.70	1.66	1.58	1.56	1.74	1.52
	DF	7.2	7.6	7.7	7.2	7.3	7.8	MP	8.4	8.3	8.0	7.8	8.4	7.8	AI		2.88	3.04	3.08	2.88	2.92	3.12	2.52	2.49	2.40	2.34	2.52	2.34
SSS		7.38	7.64	7.67	7.39	7.29	7.87		8.22	8.25	7.98	7.80	8.56	7.61	40.3125		7.38	7.64	7.67	7.39	7.29	7.87	8.22	8.25	7.98	7.80	8.56	7.61
8	EX							CH							TM	0.000												
	SY							MI							0.0000													
	DF							MP							AI													
PTX															0.0000													

SOLO FREE ROUTINES

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Jeanne Struck
V-REF Joanne Hangen

TECHNICAL MERIT JUDGES

1 Yue Yan
2 Shari Darst
3 Linda Loehndorf
4 Janice McLaughlin
5 Barbara McNamee
6 Don Kane

ARTISTIC IMPRESSION JUDGES

1 Josee Daudelin
2 Betty Hess
3 Zhang Jun
4 Sheila McNabb
5 Maribel Solis
6 Becky Meitin

TM	
EX	0.5
SY	0.1
DF	0.4

AI	
CH	0.5
MI	0.2
MP	0.3

DRAW		TM JUDGE SCORES							AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
9	EX	7.2	7.5	7.3	6.9	7.4	7.5	CH	6.8	7.6	6.8	7.8	7.9	7.3	TM		3.60	3.75	3.65	3.45	3.70	3.75	3.40	3.80	3.40	3.90	3.95	3.65
	SY	7.2	7.4	7.2	7.0	7.3	7.3	MI	7.2	7.8	6.7	7.4	7.6	7.6	36.6000	73.588	0.72	0.74	0.72	0.70	0.73	0.73	1.44	1.56	1.34	1.48	1.52	1.52
	DF	7.2	7.5	7.3	6.9	7.3	7.4	MP	7.0	7.7	6.9	7.4	7.2	7.5	AI		2.88	3.00	2.92	2.76	2.92	2.96	2.10	2.31	2.07	2.22	2.16	2.25
AAS		7.20	7.49	7.29	6.91	7.35	7.44		6.94	7.67	6.81	7.60	7.63	7.42	36.9875		7.20	7.49	7.29	6.91	7.35	7.44	6.94	7.67	6.81	7.60	7.63	7.42
10	EX	7.5	7.3	7.2	7.6	7.3	7.2	CH	7.6	7.6	7.5	8.1	8.1	7.5	TM		3.75	3.65	3.60	3.80	3.65	3.60	3.80	3.80	3.75	4.05	4.05	3.75
	SY	7.9	7.5	7.4	7.8	7.6	7.3	MI	7.6	7.7	7.5	8.1	8.5	7.9	37.2500	75.638	0.79	0.75	0.74	0.78	0.76	0.73	1.52	1.54	1.50	1.62	1.70	1.58
	DF	7.7	7.6	7.3	7.7	7.5	7.5	MP	7.2	7.5	7.6	7.7	7.8	7.6	AI		3.08	3.04	2.92	3.08	3.00	3.00	2.16	2.25	2.28	2.31	2.34	2.28
NOC		7.62	7.44	7.26	7.66	7.41	7.33		7.48	7.59	7.53	7.98	8.09	7.61	38.3875		7.62	7.44	7.26	7.66	7.41	7.33	7.48	7.59	7.53	7.98	8.09	7.61
11	EX	8.1	7.2	7.6	7.4	7.5	7.2	CH	7.4	7.5	7.9	8.3	7.8	7.6	TM		4.05	3.60	3.80	3.70	3.75	3.60	3.70	3.75	3.95	4.15	3.90	3.80
	SY	8.0	7.3	7.7	7.4	7.6	7.4	MI	7.7	7.6	7.7	8.2	7.7	7.8	37.3250	75.713	0.80	0.73	0.77	0.74	0.76	0.74	1.54	1.52	1.54	1.64	1.54	1.56
	DF	7.9	7.4	7.7	7.3	7.5	7.5	MP	7.5	7.6	7.8	8.2	7.3	7.8	AI		3.16	2.96	3.08	2.92	3.00	3.00	2.25	2.28	2.34	2.46	2.19	2.34
ALB		8.01	7.29	7.65	7.36	7.51	7.34		7.49	7.55	7.83	8.25	7.63	7.70	38.3875		8.01	7.29	7.65	7.36	7.51	7.34	7.49	7.55	7.83	8.25	7.63	7.70
12	EX	7.5	7.3	7.0	7.0	6.7	7.2	CH	6.8	7.3	7.4	7.6	7.3	7.2	TM		3.75	3.65	3.50	3.50	3.35	3.60	3.40	3.65	3.70	3.80	3.65	3.60
	SY	7.4	7.2	7.0	6.9	6.9	6.9	MI	6.7	7.2	7.5	7.4	7.1	7.4	35.7125	72.025	0.74	0.72	0.70	0.69	0.69	0.69	1.34	1.44	1.50	1.48	1.42	1.48
	DF	7.5	7.4	7.0	7.0	6.8	7.4	MP	6.5	7.3	7.4	7.2	6.8	7.2	AI		3.00	2.96	2.80	2.80	2.72	2.96	1.95	2.19	2.22	2.16	2.04	2.16
DOM		7.49	7.33	7.00	6.99	6.76	7.25		6.69	7.28	7.42	7.44	7.11	7.24	36.3125		7.49	7.33	7.00	6.99	6.76	7.25	6.69	7.28	7.42	7.44	7.11	7.24
13	EX	8.5	7.9	7.2	7.6	7.2	6.9	CH	7.5	7.7	7.2	7.7	7.4	7.3	TM		4.25	3.95	3.60	3.80	3.60	3.45	3.75	3.85	3.60	3.85	3.70	3.65
	SY	8.4	7.9	7.0	7.8	7.2	7.6	MI	7.3	7.8	7.3	7.5	7.2	7.6	37.5250	74.425	0.84	0.79	0.70	0.78	0.72	0.76	1.46	1.56	1.46	1.50	1.44	1.52
	DF	8.3	8.1	7.3	7.5	7.3	7.3	MP	7.4	7.8	7.2	7.4	6.9	7.1	AI		3.32	3.24	2.92	3.00	2.92	2.92	2.22	2.34	2.16	2.22	2.07	2.13
RUK		8.41	7.98	7.22	7.58	7.24	7.13		7.43	7.75	7.22	7.57	7.21	7.30	36.9000		8.41	7.98	7.22	7.58	7.24	7.13	7.43	7.75	7.22	7.57	7.21	7.30
14	EX	7.4	7.4	7.3	7.3	7.2	6.9	CH	7.3	7.5	7.5	8.2	7.2	7.5	TM		3.70	3.70	3.65	3.65	3.60	3.45	3.65	3.75	3.75	4.10	3.60	3.75
	SY	7.4	7.4	7.2	7.3	7.3	7.1	MI	7.2	7.4	7.6	8.2	6.8	7.4	36.3500	73.513	0.74	0.74	0.72	0.73	0.73	0.71	1.44	1.48	1.52	1.64	1.36	1.48
	DF	7.2	7.6	7.3	7.2	7.2	7.3	MP	7.2	7.4	7.5	8.0	7.0	7.6	AI		2.88	3.04	2.92	2.88	2.88	2.92	2.16	2.22	2.25	2.40	2.10	2.28
MAC		7.32	7.48	7.29	7.26	7.21	7.08		7.25	7.45	7.52	8.14	7.06	7.51	37.1625		7.32	7.48	7.29	7.26	7.21	7.08	7.25	7.45	7.52	8.14	7.06	7.51
15	EX	7.2	7.5	7.3	7.1	6.9	7.4	CH	6.8	7.3	7.0	8.3	7.6	7.3	TM		3.60	3.75	3.65	3.55	3.45	3.70	3.40	3.65	3.50	4.15	3.80	3.65
	SY	7.3	7.5	7.4	7.1	7.2	7.0	MI	7.1	7.3	7.0	8.1	7.3	7.3	36.0375	72.163	0.73	0.75	0.74	0.71	0.72	0.70	1.42	1.46	1.40	1.62	1.46	1.46
	DF	7.3	7.7	7.5	7.1	7.3	6.7	MP	6.7	7.2	6.9	7.8	6.9	7.4	AI		2.92	3.08	3.00	2.84	2.92	2.68	2.01	2.16	2.07	2.34	2.07	2.22
SCA		7.25	7.58	7.39	7.10	7.09	7.08		6.83	7.27	6.97	8.11	7.33	7.33	36.1250		7.25	7.58	7.39	7.10	7.09	7.08	6.83	7.27	6.97	8.11	7.33	7.33
16	EX	7.6	7.6	7.5	7.2	7.5	7.5	CH	8.1	7.5	7.9	7.8	7.3	7.6	TM		3.80	3.80	3.75	3.60	3.75	3.75	4.05	3.75	3.95	3.90	3.65	3.80
	SY	7.7	7.7	7.5	7.3	7.6	7.2	MI	8.0	7.4	8.0	7.6	7.0	7.8	37.3625	75.825	0.77	0.77	0.75	0.73	0.76	0.72	1.60	1.48	1.60	1.52	1.40	1.56
	DF	7.4	7.8	7.3	7.4	7.6	7.3	MP	7.8	7.5	8.1	7.4	7.2	7.7	AI		2.96	3.12	2.92	2.96	3.04	2.92	2.34	2.25	2.43	2.22	2.16	2.31
SCA		7.53	7.69	7.42	7.29	7.55	7.39		7.99	7.48	7.98	7.64	7.21	7.67	38.4625		7.53	7.69	7.42	7.29	7.55	7.39	7.99	7.48	7.98	7.64	7.21	7.67
17	EX							CH							TM													
	SY							MI							0.0000	0.000												
	DF							MP							AI													
															0.0000													
18	EX	8.2	7.7	7.7	7.9	7.6	6.8	CH	8.0	7.4	7.5	8.3	8.4	8.0	TM		4.10	3.85	3.85	3.95	3.80	3.40	4.00	3.70	3.75	4.15	4.20	4.00
	SY	8.1	7.5	7.8	8.2	7.8	6.9	MI	8.1	7.6	7.4	8.3	8.2	7.9	38.5750	78.138	0.81	0.75	0.78	0.82	0.78	0.69	1.62	1.52	1.48	1.66	1.64	1.58
	DF	8.3	7.5	7.7	8.0	7.5	7.2	MP	8.2	7.6	7.4	8.3	7.8	7.7	AI		3.32	3.00	3.08	3.20	3.00	2.88	2.46	2.28	2.22	2.49	2.34	2.31
QUE		8.23	7.60	7.71	7.97	7.58	6.97		8.08	7.50	7.45	8.30	8.18	7.89	39.5625		8.23	7.60	7.71	7.97	7.58	6.97	8.08	7.50	7.45	8.30	8.18	7.89

SOLO FREE ROUTINES

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Jeanne Struck V-REF Joanne Hangen

TECHNICAL MERIT JUDGES

1 Yue Yan
2 Shari Darst
3 Linda Loehndorf
4 Janice McLaughlin
5 Barbara McNamee
6 Don Kane

ARTISTIC IMPRESSION JUDGES

1 Josee Daudelin
2 Betty Hess
3 Zhang Jun
4 Sheila McNabb
5 Maribel Solis
6 Becky Meitin

TM	
EX	0.5
SY	0.1
DF	0.4

AI	
CH	0.5
MI	0.2
MP	0.3

DRAW		TM JUDGE SCORES							AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
19	EX	7.3	7.2	7.3	7.1	7.1	7.1	CH	7.8	7.3	6.8	7.6	7.8	7.4	TM		3.65	3.60	3.65	3.55	3.55	3.55	3.90	3.65	3.40	3.80	3.90	3.70
	SY	7.4	7.3	7.0	7.0	7.1	7.0	MI	7.5	7.4	7.0	7.6	7.6	7.5	**36.0875**	**73.388**	0.74	0.73	0.70	0.70	0.71	0.70	1.50	1.48	1.40	1.52	1.52	1.50
	DF	7.4	7.3	7.4	7.0	7.3	7.2	MP	7.5	7.3	6.9	7.4	7.8	7.1	AI		2.96	2.92	2.96	2.80	2.92	2.88	2.25	2.19	2.07	2.22	2.34	2.13
CDY		**7.35**	**7.25**	**7.31**	**7.05**	**7.18**	**7.13**		**7.65**	**7.32**	**6.87**	**7.54**	**7.76**	**7.33**	**37.3000**		**7.35**	**7.25**	**7.31**	**7.05**	**7.18**	**7.13**	**7.65**	**7.32**	**6.87**	**7.54**	**7.76**	**7.33**
20	EX	7.2	7.5	7.5	7.5	7.2	7.4	CH	7.1	8.0	7.9	8.0	7.9	7.7	TM		3.60	3.75	3.75	3.75	3.60	3.70	3.55	4.00	3.95	4.00	3.95	3.85
	SY	7.4	7.7	7.5	7.7	7.4	7.5	MI	7.2	7.9	8.0	8.0	7.5	7.6	**37.0625**	**76.225**	0.74	0.77	0.75	0.77	0.74	0.75	1.44	1.58	1.60	1.60	1.50	1.52
	DF	7.3	7.7	7.4	7.6	7.2	7.3	MP	7.6	7.9	8.1	7.4	8.0	7.8	AI		2.92	3.08	2.96	3.04	2.88	2.92	2.28	2.37	2.43	2.22	2.40	2.34
RAQ		**7.26**	**7.60**	**7.46**	**7.56**	**7.22**	**7.37**		**7.27**	**7.95**	**7.98**	**7.82**	**7.85**	**7.71**	**39.1625**		**7.26**	**7.60**	**7.46**	**7.56**	**7.22**	**7.37**	**7.27**	**7.95**	**7.98**	**7.82**	**7.85**	**7.71**
21	EX	6.8	7.1	7.2	7.0	7.1	7.6	CH	6.8	7.4	7.1	7.5	7.1	7.3	TM		3.40	3.55	3.60	3.50	3.55	3.80	3.40	3.70	3.55	3.75	3.55	3.65
	SY	7.1	7.2	7.0	7.2	7.3	7.5	MI	6.6	7.3	7.3	7.5	7.3	7.2	**35.5875**	**71.613**	0.71	0.72	0.70	0.72	0.73	0.75	1.32	1.46	1.46	1.50	1.46	1.44
	DF	7.0	7.3	7.0	7.1	7.1	7.6	MP	6.6	7.3	7.2	7.3	6.9	7.1	AI		2.80	2.92	2.80	2.84	2.84	3.04	1.98	2.19	2.16	2.19	2.07	2.13
CDY		**6.91**	**7.19**	**7.10**	**7.06**	**7.12**	**7.59**		**6.70**	**7.35**	**7.17**	**7.44**	**7.08**	**7.22**	**36.0250**		**6.91**	**7.19**	**7.10**	**7.06**	**7.12**	**7.59**	**6.70**	**7.35**	**7.17**	**7.44**	**7.08**	**7.22**
22	EX	7.5	7.4	7.4	7.5	7.2	7.5	CH	7.9	8.0	7.2	7.9	8.2	7.6	TM		3.75	3.70	3.70	3.75	3.60	3.75	3.95	4.00	3.60	3.95	4.10	3.80
	SY	7.5	7.3	7.3	7.7	7.3	7.4	MI	7.4	8.0	7.1	7.9	7.8	7.4	**37.1125**	**75.700**	0.75	0.73	0.73	0.77	0.73	0.74	1.48	1.60	1.42	1.58	1.56	1.48
	DF	7.5	7.4	7.5	7.5	7.4	7.2	MP	7.2	8.0	7.2	7.7	7.6	7.4	AI		3.00	2.96	3.00	3.00	2.96	2.88	2.16	2.40	2.16	2.31	2.28	2.22
SCA		**7.50**	**7.39**	**7.43**	**7.52**	**7.29**	**7.37**		**7.59**	**8.00**	**7.18**	**7.84**	**7.94**	**7.50**	**38.5875**		**7.50**	**7.39**	**7.43**	**7.52**	**7.29**	**7.37**	**7.59**	**8.00**	**7.18**	**7.84**	**7.94**	**7.50**
23	EX	7.9	7.5	7.5	7.7	7.4	7.0	CH	7.7	7.5	7.7	8.0	7.8	7.4	TM		3.95	3.75	3.75	3.85	3.70	3.50	3.85	3.75	3.85	4.00	3.90	3.70
	SY	7.9	7.4	7.6	7.6	7.6	7.2	MI	7.7	7.6	7.8	8.0	8.0	7.5	**37.4875**	**76.200**	0.79	0.74	0.76	0.76	0.76	0.72	1.54	1.52	1.56	1.60	1.60	1.50
	DF	7.8	7.6	7.3	7.4	7.5	7.4	MP	7.6	7.5	7.9	8.0	8.4	7.6	AI		3.12	3.04	2.92	2.96	3.00	2.96	2.28	2.25	2.37	2.40	2.52	2.28
AAS		**7.86**	**7.53**	**7.43**	**7.57**	**7.46**	**7.18**		**7.67**	**7.52**	**7.78**	**8.00**	**8.02**	**7.48**	**38.7125**		**7.86**	**7.53**	**7.43**	**7.57**	**7.46**	**7.18**	**7.67**	**7.52**	**7.78**	**8.00**	**8.02**	**7.48**
24	EX	7.7	7.3	7.4	7.8	7.3	6.8	CH	7.8	7.2	7.4	7.8	7.7	7.5	TM		3.85	3.65	3.70	3.90	3.65	3.40	3.90	3.60	3.70	3.90	3.85	3.75
	SY	7.7	7.3	7.3	7.9	7.5	6.9	MI	7.5	7.4	7.5	7.8	7.8	7.2	**37.2375**	**75.138**	0.77	0.73	0.73	0.79	0.75	0.69	1.50	1.48	1.50	1.56	1.56	1.44
	DF	7.6	7.5	7.3	7.8	7.5	7.1	MP	7.6	7.3	7.6	7.8	7.8	7.4	AI		3.04	3.00	2.92	3.12	3.00	2.84	2.28	2.19	2.28	2.34	2.34	2.22
SPS		**7.66**	**7.38**	**7.35**	**7.81**	**7.40**	**6.93**		**7.68**	**7.27**	**7.48**	**7.80**	**7.75**	**7.41**	**37.9000**		**7.66**	**7.38**	**7.35**	**7.81**	**7.40**	**6.93**	**7.68**	**7.27**	**7.48**	**7.80**	**7.75**	**7.41**