

SOLO FREE ROUTINE FINALS

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Betty Hess

V-REF Jeanne Struck

TECHNICAL MERIT JUDGES

- Barbara McNamee
- Becky Meitin
- Linda Loehndorf
- Shari Darst
- Sheila McNabb
- Zhang Jun

ARTISTIC IMPRESSION JUDGES

- Joanne Hangen
- Janice McLaughlin
- Yue Yan
- Maribel Solis
- Josee Daudelin
- Shannon Korpela

TM

EX	0.5
SY	0.1
DF	0.4

AI

CH	0.5
MI	0.2
MP	0.3

DRAW	TM							AI																				
		TM JUDGE SCORES							AI JUDGE SCORES						SCORE		TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6			1	2	3	4	5	6	1	2	3	4	5	6
Pre 1	EX	7.2	7.7	7.1	7.3	7.4	7.3	CH	7.5	7.2	7.4	7.4	6.6	7.3	TM	72.650	3.60	3.85	3.55	3.65	3.70	3.65	3.75	3.60	3.70	3.70	3.30	3.65
	SY	7.4	8.0	7.3	7.3	7.4	7.4	MI	7.3	7.1	7.4	7.2	6.5	7.4			36.6375	0.74	0.80	0.73	0.73	0.74	0.74	1.46	1.42	1.48	1.44	1.30
	DF	7.3	7.6	7.4	7.4	7.5	7.2	MP	7.0	7.0	7.3	6.7	6.5	7.0	AI		2.92	3.04	2.96	2.96	3.00	2.88	2.10	2.10	2.19	2.01	1.95	2.10
		7.26	7.69	7.24	7.34	7.44	7.27		7.31	7.12	7.37	7.15	6.55	7.23	36.0125		7.26	7.69	7.24	7.34	7.44	7.27	7.31	7.12	7.37	7.15	6.55	7.23
Pre 2	EX							CH							TM	0.000												
	SY							MI						0.0000														
	DF							MP						AI														
														0.0000														
1	EX	7.5	7.5	7.5	7.5	7.8	7.4	CH	7.5	7.4	7.3	7.3	7.5	7.6	TM	74.450	3.75	3.75	3.75	3.75	3.90	3.70	3.75	3.70	3.65	3.65	3.75	3.80
	SY	7.6	7.6	7.5	7.5	7.8	7.3	MI	7.4	7.3	7.2	7.2	7.5	7.5			37.6250	0.76	0.76	0.75	0.75	0.78	0.73	1.48	1.46	1.44	1.44	1.50
	DF	7.6	7.4	7.6	7.6	8.0	7.4	MP	7.2	7.4	7.3	6.7	7.2	7.2	AI		3.04	2.96	3.04	3.04	3.20	2.96	2.16	2.22	2.19	2.01	2.16	2.16
		7.55	7.47	7.54	7.54	7.88	7.39		7.39	7.38	7.28	7.10	7.41	7.46	36.8250		7.55	7.47	7.54	7.54	7.88	7.39	7.39	7.38	7.28	7.10	7.41	7.46
2	EX	7.3	7.4	7.4	7.5	7.7	8.1	CH	7.6	7.5	7.5	7.1	7.8	7.5	TM	75.113	3.65	3.70	3.70	3.75	3.85	4.05	3.80	3.75	3.75	3.55	3.90	3.75
	SY	7.4	7.7	7.5	7.4	7.7	8.0	MI	7.3	7.6	7.4	7.0	7.8	7.6			37.5375	0.74	0.77	0.75	0.74	0.77	0.80	1.46	1.52	1.48	1.40	1.56
	DF	7.3	7.4	7.4	7.4	7.8	8.0	MP	7.6	7.6	7.6	7.3	8.1	7.3	AI		2.92	2.96	2.96	2.96	3.12	3.20	2.28	2.28	2.28	2.19	2.43	2.19
		7.31	7.43	7.41	7.45	7.74	8.05		7.54	7.55	7.51	7.14	7.89	7.46	37.5750		7.31	7.43	7.41	7.45	7.74	8.05	7.54	7.55	7.51	7.14	7.89	7.46
3	EX	7.6	7.7	7.5	7.1	7.5	7.5	CH	7.7	7.2	7.9	7.5	7.4	7.7	TM	74.938	3.80	3.85	3.75	3.55	3.75	3.75	3.85	3.60	3.95	3.75	3.70	3.85
	SY	7.7	7.5	7.4	7.1	7.4	7.6	MI	7.7	7.1	7.7	7.1	7.3	7.4			37.6750	0.77	0.75	0.74	0.71	0.74	0.76	1.54	1.42	1.54	1.42	1.46
	DF	7.6	7.8	7.6	7.3	7.5	7.5	MP	7.5	7.3	7.8	7.0	7.2	7.5	AI		3.04	3.12	3.04	2.92	3.00	3.00	2.25	2.19	2.34	2.10	2.16	2.25
		7.61	7.72	7.53	7.18	7.49	7.51		7.64	7.21	7.83	7.27	7.32	7.58	37.2625		7.61	7.72	7.53	7.18	7.49	7.51	7.64	7.21	7.83	7.27	7.32	7.58
4	EX	7.4	7.5	7.6	7.6	7.7	7.7	CH	7.7	7.6	7.7	7.7	7.6	7.8	TM	76.238	3.70	3.75	3.80	3.80	3.85	3.85	3.85	3.80	3.85	3.85	3.80	3.90
	SY	7.5	7.6	7.5	7.6	7.8	7.5	MI	7.5	7.7	7.7	7.6	7.4	7.7			38.0250	0.75	0.76	0.75	0.76	0.78	0.75	1.50	1.54	1.54	1.52	1.48
	DF	7.6	7.5	7.7	7.7	7.8	7.6	MP	7.5	7.7	7.8	7.4	7.4	7.7	AI		3.04	3.00	3.08	3.08	3.12	3.04	2.25	2.31	2.34	2.22	2.22	2.31
		7.49	7.51	7.63	7.64	7.75	7.64		7.60	7.65	7.73	7.59	7.50	7.75	38.2125		7.49	7.51	7.63	7.64	7.75	7.64	7.60	7.65	7.73	7.59	7.50	7.75
5	EX	7.7	7.7	7.4	7.4	7.6	7.7	CH	7.5	7.7	7.8	7.6	7.6	7.6	TM	76.488	3.85	3.85	3.70	3.70	3.80	3.85	3.75	3.85	3.90	3.80	3.80	3.80
	SY	7.7	7.7	7.5	7.5	7.5	7.8	MI	7.6	7.8	7.8	7.4	7.9	7.8			38.0125	0.77	0.77	0.75	0.75	0.75	0.78	1.52	1.56	1.56	1.48	1.58
	DF	7.6	7.8	7.7	7.7	7.5	7.6	MP	7.8	7.5	7.9	7.6	8.0	7.9	AI		3.04	3.12	3.08	3.08	3.00	3.04	2.34	2.25	2.37	2.28	2.40	2.37
		7.66	7.74	7.53	7.53	7.55	7.67		7.61	7.66	7.83	7.56	7.78	7.73	38.4750		7.66	7.74	7.53	7.53	7.55	7.67	7.61	7.66	7.83	7.56	7.78	7.73
6	EX	7.6	7.5	7.6	7.6	8.0	8.0	CH	7.9	7.5	7.8	7.8	8.0	7.5	TM	77.413	3.80	3.75	3.80	3.80	4.00	4.00	3.95	3.75	3.90	3.90	4.00	3.75
	SY	7.8	7.5	7.6	7.3	8.0	8.1	MI	8.0	7.5	7.7	8.0	7.8	7.5			38.6500	0.78	0.75	0.76	0.73	0.80	0.81	1.60	1.50	1.54	1.60	1.56
	DF	7.8	7.7	7.6	7.6	8.1	8.1	MP	8.0	7.6	7.8	7.5	8.0	7.4	AI		3.12	3.08	3.04	3.04	3.24	3.24	2.40	2.28	2.34	2.25	2.40	2.22
		7.70	7.58	7.60	7.57	8.04	8.05		7.95	7.53	7.78	7.75	7.96	7.47	38.7625		7.70	7.58	7.60	7.57	8.04	8.05	7.95	7.53	7.78	7.75	7.96	7.47
7	EX	8.5	8.5	8.2	8.4	8.7	8.4	CH	8.3	8.5	8.8	8.7	8.5	8.3	TM	84.850	4.25	4.25	4.10	4.20	4.35	4.20	4.15	4.25	4.40	4.35	4.25	4.15
	SY	8.6	8.4	8.3	8.3	8.7	8.3	MI	8.4	8.5	8.8	8.7	8.5	8.4			42.3250	0.86	0.84	0.83	0.83	0.87	0.83	1.68	1.70	1.76	1.74	1.70
	DF	8.7	8.6	8.3	8.3	8.7	8.4	MP	8.5	8.5	8.6	8.5	8.5	8.3	AI		3.48	3.44	3.32	3.32	3.48	3.36	2.55	2.55	2.58	2.55	2.55	2.49
		8.59	8.53	8.25	8.35	8.70	8.39		8.38	8.50	8.74	8.64	8.50	8.32	42.5250		8.59	8.53	8.25	8.35	8.70	8.39	8.38	8.50	8.74	8.64	8.50	8.32

SOLO FREE ROUTINE FINALS

2010 US JUNIOR OPEN SYNCHRONIZED SWIMMING CHAMPIONSHIP
IRVING, TX 14-17 JULY, 2010

REF Betty Hess

V-REF Jeanne Struck

TECHNICAL MERIT JUDGES

- Barbara McNamee
- Becky Meitin
- Linda Loehndorf
- Shari Darst
- Sheila McNabb
- Zhang Jun

ARTISTIC IMPRESSION JUDGES

- Joanne Hangen
- Janice McLaughlin
- Yue Yan
- Maribel Solis
- Josee Daudelin
- Shannon Korpela

TM

EX	0.5
SY	0.1
DF	0.4

AI

CH	0.5
MI	0.2
MP	0.3

DRAW	TM							AI							SCORE						TM JUDGE CALCULATIONS						AI JUDGE CALCULATIONS					
	CAT	1	2	3	4	5	6	CAT	1	2	3	4	5	6							1	2	3	4	5	6	1	2	3	4	5	6
8	EX	7.6	7.6	7.6	7.4	7.6	7.8	CH	7.6	7.6	7.9	7.5	8.0	7.9	TM	77.063	38.1625	AI	38.9000		3.80	3.80	3.80	3.70	3.80	3.90	3.80	3.80	3.95	3.75	4.00	3.95
	SY	7.8	7.7	7.8	7.5	7.6	7.9	MI	7.6	7.6	7.9	7.7	8.1	7.9							0.78	0.77	0.78	0.75	0.76	0.79	1.52	1.52	1.58	1.54	1.62	1.58
	DF	7.6	7.8	7.7	7.6	7.5	7.7	MP	7.6	7.8	8.0	7.6	7.7	8.0							3.04	3.12	3.08	3.04	3.00	3.08	2.28	2.34	2.40	2.28	2.31	2.40
		7.62	7.69	7.66	7.49	7.56	7.77		7.60	7.66	7.93	7.57	7.93	7.93							7.62	7.69	7.66	7.49	7.56	7.77	7.60	7.66	7.93	7.57	7.93	7.93
9	EX	7.7	7.7	7.5	7.7	7.7	7.9	CH	7.7	7.4	8.2	7.6	7.9	7.4	TM	76.525	38.4250	AI	38.1000		3.85	3.85	3.75	3.85	3.85	3.95	3.85	3.70	4.10	3.80	3.95	3.70
	SY	7.6	7.6	7.4	7.7	7.7	7.8	MI	7.7	7.4	8.0	7.7	7.8	7.4							0.76	0.76	0.74	0.77	0.77	0.78	1.54	1.48	1.60	1.54	1.56	1.48
	DF	7.6	7.7	7.7	7.8	7.6	7.7	MP	7.6	7.2	8.1	7.4	7.8	7.4							3.04	3.08	3.08	3.12	3.04	3.08	2.28	2.16	2.43	2.22	2.34	2.22
		7.65	7.69	7.57	7.74	7.66	7.81		7.67	7.34	8.13	7.56	7.85	7.40							7.65	7.69	7.57	7.74	7.66	7.81	7.67	7.34	8.13	7.56	7.85	7.40
10	EX	7.8	7.8	8.1	7.9	8.1	7.9	CH	7.8	7.9	8.1	8.3	8.2	8.2	TM	80.625	39.8875	AI	40.7375		3.90	3.90	4.05	3.95	4.05	3.95	3.90	3.95	4.05	4.15	4.10	4.10
	SY	7.9	7.9	8.2	7.9	8.1	7.9	MI	7.8	8.1	8.2	8.4	8.3	8.3							0.79	0.79	0.82	0.79	0.81	0.79	1.56	1.62	1.64	1.68	1.66	1.66
	DF	7.8	7.9	8.3	8.1	8.2	8.0	MP	7.7	8.1	8.2	8.1	8.1	8.3							3.12	3.16	3.32	3.24	3.28	3.20	2.31	2.43	2.46	2.43	2.43	2.49
		7.81	7.85	8.19	7.98	8.14	7.94		7.77	8.00	8.15	8.26	8.19	8.25							7.81	7.85	8.19	7.98	8.14	7.94	7.77	8.00	8.15	8.26	8.19	8.25
11	EX	8.1	7.8	8.1	7.8	8.2	8.1	CH	7.9	7.8	8.2	8.2	8.1	8.0	TM	80.613	40.0625	AI	40.5500		4.05	3.90	4.05	3.90	4.10	4.05	3.95	3.90	4.10	4.10	4.05	4.00
	SY	8.2	7.8	8.2	7.6	8.1	8.2	MI	8.0	7.9	8.2	8.3	8.4	8.2							0.82	0.78	0.82	0.76	0.81	0.82	1.60	1.58	1.64	1.66	1.68	1.64
	DF	8.1	7.6	8.1	7.5	8.0	8.2	MP	7.9	7.7	8.2	8.0	8.4	8.4							3.24	3.04	3.24	3.00	3.20	3.28	2.37	2.31	2.46	2.40	2.52	2.52
		8.11	7.72	8.11	7.66	8.11	8.15		7.92	7.79	8.20	8.16	8.25	8.16							8.11	7.72	8.11	7.66	8.11	8.15	7.92	7.79	8.20	8.16	8.25	8.16
12	EX	7.7	7.8	7.7	7.6	7.9	7.8	CH	8.0	7.8	8.0	8.3	7.7	8.1	TM	78.713	38.9250	AI	39.7875		3.85	3.90	3.85	3.80	3.95	3.90	4.00	3.90	4.00	4.15	3.85	4.05
	SY	7.8	7.9	7.8	7.5	7.9	7.7	MI	8.1	7.8	7.9	8.1	7.6	7.9							0.78	0.79	0.78	0.75	0.79	0.77	1.62	1.56	1.58	1.62	1.52	1.58
	DF	7.9	7.7	7.8	7.7	8.1	7.9	MP	8.0	7.9	8.1	7.8	7.5	7.8							3.16	3.08	3.12	3.08	3.24	3.16	2.40	2.37	2.43	2.34	2.25	2.34
		7.79	7.77	7.75	7.63	7.98	7.83		8.02	7.83	8.01	8.11	7.62	7.97							7.79	7.77	7.75	7.63	7.98	7.83	8.02	7.83	8.01	8.11	7.62	7.97